



SP V 18 RO

The pumps listed on this data sheet represent a cross-section of the large number of possibilities for each pump type. Based on our modular pump design, all pumps can be customised exactly to meet the needs of your application - within days and at standard pricing. Please contact us for details.



SP V 18 RO

Product Features

- Low pulsation
- Suitable for any mounting orientation
- Oil-free, maintenance-free, leak-tight
- Low vibration and sound level
- High efficiency
- Small size and low weight

Typical Applications

- Blood pressure monitoring



SP V 18 RO

TYPE	SP V 18 RO-3DC-A-D	SP V 18 RO-5DC-A-D	SP V 18 RO-6DC-A-D	SP V 18 RO-12DC-A-D
Operating Voltage [Vdc]	3	5	6	12
Art. No.	7k73033	7k73034	7k73035	7k73036
max. Nominal Current [mA]	400	320	270	160
PERFORMANCE				
max. Flow [l/min]	2,5	2,2	2,4	2,5
max. Pressure [bar]	0,6	0,6	0,6	0,6
max. Vacuum [mbar]	-	-	-	-
MOTOR				
Standard Motor	iron core			
Standard Bearings	sintered bearings			
Motor Connection	soldering lugs			
Optional Motor	n/a			
Optional Bearings	n/a			
MATERIALS				
Standard Pump Head	ABS & POM			
Optional Pump Head	n/a			
Standard Diaphragm	EPDM			
Optional Diaphragm	n/a			
Standard Valves	NBR			
Optional Valves	n/a			
Standard Gaskets	EPDM			
Optional Gaskets	n/a			
PNEUMATIC CONNECTION				
Standard Connectors	straight connectors			
Optional Connectors	n/a			
DIMENSIONS + WEIGHT				
Dimensions [mm] W x H x L	18 x 32 x 69			
Weight [g]	44			

Flow values are subject to the standard conditions specified in DIN 1343. The use of other materials may cause deviations in performance values.

The technical data shown on this data sheet represents the typical mean values achieved by the products in our standard testing procedure.

All data provided is for information only and does not represent production values.


Standard products are subject to change without notice.

26.05.2021




SP V 18 RO

PERFORMANCE DIAGRAM | SP V 18 RO



DRAWING | SP V 18 RO



All data provided is for information only and does not represent production values.

Standard products are subject to change without notice.

26.05.2021